

Huawei OptiXstar P815E-L1 Datasheet

Date: 2023-08-30

Product Overview

Huawei OptiXstar P815E-L1 is a rack-mounted PoE ONU. It provides two XGS-PON upstream ports on the network side and 24 GE (PoE+) ports on the user side. It is suitable for carrying data, video and Wi-Fi services in high-density campus scenarios and brings high-quality service experience to users.



Product Highlights

- Features high reliability, two XGS-PON upstream ports, supporting type C networking protection.
- PON upstream load sharing, supporting 20 Gbit/s upstream transmission.
- 24 GE ports, supporting high-density access.
- The PoE function provides remote power supply for access APs and cameras.
- Supports wide temperature range with strong environment adaptability.
- 802.1x authentication ensure device access security.
- Centralized management on eSight.

Technical Specifications

NNI	2*XGS-PON(1*BOB+1*SFP)	UNI	24*GE, supports PoE+
PoE output power	Maximum output power of a PoE+ port: 30 W Maximum total output power: 370 W	Surge protection specifications	GE: common mode 6 kV; differential mode 0.5 kV. AC power: common mode 6 kV; differential mode 6 kV.
Operating temperature	-25°C to +55°C	Installation mode	Support 19-inch cabinet, rack, or network box installation

Operating humidity	5%RH to 95%RH (non-condensing)	Rated operating voltage range	100–240 V AC, 50 Hz/60 Hz, 6A
Static power consumption	36 W	Maximum power consumption	454 W
Dimensions (WxDxH)	442mm×220mm×43.6mm (Without Mounting Brackets) 482mm×220mm×43.6mm (With Mounting Brackets)	Weight	About 3.1 kg
Heat dissipation mode	Fans heat dissipation	-	-

Port Parameters

XGS-GPON	GE
<ul style="list-style-type: none"> • XGS-PON optical module, port type: SC/UPC • Complies with the G.9807.1 protocol. • Class N1/N2 • Receiver sensitivity: -28dBm • Overload optical power: -9dBm • Transmission rate: upstream 9.953 Gbit/s, downstream 9.953 Gbit/s 	<ul style="list-style-type: none"> • PoE+ • Port type: RJ-45 • Auto ports speed(10/100/1000 Mbit/s) • Half-duplex/full-duplex mode negotiation and configuration • Auto-MDI/MDIX • Configuration of the number of MAC addresses learned • VLAN filtering


Function List

Automatic Service Provisioning	Smart O&M	Networking Protection	Security
<ul style="list-style-type: none"> • Authentication exemption • XML/OMCI 	<ul style="list-style-type: none"> • XML/Web UI • Rogue ONT detection and self-regulation • Ring network detection • PPPoE/DHCP simulation testing 	<ul style="list-style-type: none"> • Type B Protection • Type C Protection • PON upstream load sharing 	<ul style="list-style-type: none"> • 802.1x • DoS/ARP anti-attacks • Static MAC address binding • Device access control • Web session number restriction
Multicast	QoS	Layer 2 Management	
<ul style="list-style-type: none"> • IGMP v2/v3 snooping • IGMP proxy • MLDv1/MLDv2 snooping • Dynamic controllable multicast • Uncontrollable multicast 	<ul style="list-style-type: none"> • Ethernet port rate limitation • 802.1p priority • SP/WRR/SP+WRR 	<ul style="list-style-type: none"> • DHCP Option82 • PITP • BPDU transparent transmission • LLDP/LLDP-MED • IPv6 (Layer 2 transparent transmission) 	

Copyright © Huawei Technologies Co., Ltd. 2023. All rights reserved.

No part of this document may be reproduced or transmitted in any form or by any means without prior written consent of Huawei Technologies Co., Ltd.

Trademarks and Permissions

 HUAWEI and other Huawei trademarks are trademarks of Huawei Technologies Co., Ltd.

All other trademarks and trade names mentioned in this document are the property of their respective holders.

Notice

The purchased products, services and features are stipulated by the contract made between Huawei and the customer. All or part of the products, services and features described in this document may not be within the purchase scope or the usage scope. Unless otherwise specified in the contract, all statements, information, and recommendations in this document are provided "AS IS" without warranties, guarantees or representations of any kind, either express or implied.

The information in this document is subject to change without notice. Every effort has been made in the preparation of this document to ensure accuracy of the contents, but all statements, information, and recommendations in this document do not constitute a warranty of any kind, express or implied.

Huawei Technologies Co., Ltd.

Address: Huawei Industrial Base Bantian,
Longgang Shenzhen 518129 People's
Republic of China

Website: www.huawei.com